

54" x 67"




Designed By: Ann Haley



Finished Size: 54" x 67"

FABRIC REQUIREMENTS

	Fabric A 26892 G 1 1/4 YARDS 1 BOLT		Fabric B 26894 G 2/3 YARD 1 BOLT		Fabric C 23528 AX 1 YARD 1 BOLT		Fabric D 23528 LB 1/2 YARD 1 BOLT
	Fabric E 26893 F 1 3/4 YARDS 2 BOLTS		Fabric F 26895 AE 5/8 YARD 1 BOLT		Fabric G 26895 A 1 3/8 YARDS 2 BOLTS		Fabric H 21517 Z 1/4 YARD 1 BOLT
	Fabric I* 23528 AT 1 1/4 YARDS 2 BOLTS		Backing 26893 F 3 1/2 YARDS 3 BOLTS	* Inc. Binding			

* Numbers within gray box = Number of Bolts needed to make 12 Kits

We recommend that you carefully read through all instructions before starting your project.

CUTTING DIRECTIONS

Note:

All strips are cut across the width of the fabric (perpendicular to the selvages) unless noted otherwise. All seams are 1/4".

WOF = Width of fabric (from selvage to selvage)

Fabric A

- Fussy-cut 22 deer motifs, 4 1/2" x 4 1/2" each.

Fabric B

- Cut 3 strips 5 1/2" x WOF. Cross-cut strips to make 30 rectangles 5 1/2" x 3" for tree top units (flying geese).
- Cut 3 strips 1 1/2" x WOF. Cut into 28 rectangles 1 1/2" x 3" for tree trunk units.

Fabric C

- Cut 5 strips 3" x WOF. Cut into 60 squares 3" x 3" for tree top units (flying geese).
- Cut 3 strips 2 1/2" x WOF. Cut into 28 rectangles 2 1/2" x 3" for tree trunk units.
- Cut 1 strip 4 3/4" x WOF. Crosscut strip and label the following pieces for the mountains:
 - Piece 11 - Cut 3 rectangles 3 3/8" x 4 3/4".
 - Piece 12 - Cut 2 rectangles 3 3/8" x 6 1/8".
 - Piece 13 - Cut 1 square 4 3/4" x 4 3/4".
 - Piece 14 - Cut 1 rectangle 1 7/8" x 7 5/8".

Fabric D

- Cut 1 strip 10 7/8" x WOF. Crosscut strip and label pieces as follows:
 - Piece 1: Cut 1 square 10 7/8" x 10 7/8". Cut in half on the diagonal once (1 leftover triangle).
 - Piece 2: Cut 1 square 7 1/4" x 7 1/4". Cut on the diagonal twice (1 leftover triangle).
 - Piece 3: Cut 1 square 5 1/4" x 5 1/4". Cut on the diagonal twice (1 leftover triangle).
 - Piece 4: Cut 1 rectangle 3 3/8" x 7 5/8".
 - Piece 5: Cut 1 rectangle 3 3/8" x 6 1/8".
 - Piece 6: Cut 1 square 4 3/4" x 4 3/4".
 - Piece 7: Cut 1 rectangle 4 3/4" x 6 1/8".
 - Piece 8: Cut 1 rectangle 3 3/8" x 4 3/4".

Fabric E

- Cut 2 strips 5 1/2" x 42 1/2" along the lengthwise grain of the fabric.
- Cut 2 strips 5 1/2" x 55 1/2" along the lengthwise grain of the fabric.

Fabric F

- Cut 12 strips 1 1/2" x WOF.
 - From 2 strips, cut 8 pieces 1 1/2" x 5 1/2". Join remaining WOF strips together end-to-end, then crosscut into the following lengths:

- 2 strips 1 1/2" x 42 1/2"
- 2 strips 1 1/2" x 43 1/2"
- 2 strips 1 1/2" x 54 1/2"
- 2 strips 1 1/2" x 55 1/2"

Fabric G

- Cut 2 strips 5 1/2" x 43 1/2" along the lengthwise grain of the fabric.
- Cut 2 strips 5 1/2" x 30 1/2" along the lengthwise grain of the fabric.

Fabric H

- Piece 10: Cut 1 square 4 3/4" x 4 3/4".
- Piece 9: Cut 4 squares 3 3/8" x 3 3/8".

Fabric I

- Cut 13 strips 1" x WOF. Crosscut into 44 pieces 1" x 4 1/2" and 44 pieces 1" x 5 1/2".
- Cut 1 strip 1 1/2" x WOF.
 - Piece 15: Trim WOF strip to 1 1/2" x 30 1/2".
- Cut 1 strip 7 1/4" x WOF. From this strip, crosscut and label the following pieces for the mountains:
 - Piece 16: Cut 1 square 7 1/4" x 7 1/4". Cut on the diagonal twice (2 leftover triangles).
 - Piece 17: Cut 1 square 5 1/4" x 5 1/4". Cut on the diagonal twice (1 leftover triangle).
 - Piece 18: Cut 1 square 2 7/8" x 2 7/8". Cut in half on the diagonal.
 - Piece 19: Cut 1 square 2 1/4" x 2 1/4". Cut in half on the diagonal once (1 leftover triangle).
- Cut 7 strips 2 1/4" x WOF for binding.

Backing

- Cut 2 pieces 63" x WOF

QUILT TOP ASSEMBLY

All seams allowances are 1/4".

CENTER SECTION

1. Stitch a 1" x 4 1/2" Fabric I strip to the sides of a fussy-cut deer-motif square (Fabric A). Stitch two 1" x 5 1/2" Fabric I strips to the top and bottom of the square to complete a deer block. Make 22 deer blocks.




Make 22

2. Using (30) 5 1/2" x 3" Fabric B rectangles and (60) 3" Fabric C squares, make 30 flying geese using a stitch-and-flip technique, for the tree top units.



Make 30


3. Stitch a 2 1/2" x 3" Fabric C rectangle to both sides of a 1 1/2" x 3" Fabric B strip to make a tree trunk unit. Make 14.



Make 14

4. Referring to the Quilt Assembly Diagram, arrange deer blocks, tree top units, and tree trunk units as shown in main diagram. Stitch together into vertical rows. Stitch vertical rows together to complete the lower section.

5. Arrange Pieces 1-19 as shown. Stitch in diagonal rows, stitch rows together then add piece 15 along the bottom to complete the mountain section.



6. Stitch mountain section to the top edge of the lower section to complete the center section.

BORDERS

Refer to the quilt diagram for the following steps.

1. Stitch a 1 1/2" x 43 1/2" Fabric F strip to a 5 1/2" x 43 1/2" Fabric G strip to make a side inner border. Sew the borders to the sides of the center section with Fabric F toward the center.

2. Stitch a 1 1/2" x 5 1/2" Fabric F strip to each end of the 5 1/2" x 30 1/2" Fabric G strips. Sew a deer block to the ends of each F/G strip*. Add the 1 1/2" x 42 1/2" Fabric F strips to bottom of the top border and top of the bottom border. Stitch the assembled borders to the top and bottom of quilt center.

** These are the top and bottom inner borders, orient the deer blocks accordingly.*

3. Stitch a 1½" x 55½" Fabric F strip to a 5½" x 55½" Fabric E strip to make a side outer border. Sew the borders to the sides of the quilt with Fabric F toward the center.

4. Stitch a 1½" x 5½" Fabric F strip to each end of the 5½" x 42½" Fabric E strip. Sew a deer block to both ends of the E/F strip*. Add the 1½" x 54½" Fabric F strips to the bottom of the top border and the top of the bottom border. Sew the assembled borders to the top and bottom of the quilt top.

*These are the top and bottom outer borders, orient the deer blocks accordingly.

FINISHING

- 1.** Sew the backing pieces together to create backing, approximately 63" x 75".
- 2.** Layer the backing, batting, and quilt top. Baste.
- 3.** Quilt as desired.
- 4.** Join the binding strips together using a diagonal seam. Press in half lengthwise, with wrong sides together, to make double-fold binding. Sew the binding to the quilt.



Quilt Assembly Diagram

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.